

Nonprofit corporations and independent licensees of the Blue Cross and Blue Shield Association

Medical benefit drug policies are a source for BCBSM and BCN medical policy information only. These documents are not to be used to determine benefits or reimbursement. Please reference the appropriate certificate or contract for benefit information. This policy may be updated and therefore subject to change.

Effective Date: 04/11/2024

Spinraza<sup>®</sup> (nusinersen)

**HCPCS**: J2326

Policy:

Requests must be supported by submission of chart notes and patient specific documentation.

- A. Coverage of the requested drug is provided when all the following are met:
  - a. Types 1, 2, or 3 Spinal Muscular Atrophy (SMA) confirmed by genetic testing
  - b. FDA approved age
  - c. Prescribed by or in consultation with a neurologist specializing in pediatric neuromuscular disorders
  - d. Patient is not fully ventilator dependent
  - e. Patient is not currently taking SMN2-targeting antisense oligonucleotide or SMN2 splicing modifier AND patient has not received prior treatment with any gene therapy (such as Zolgensma) or is not being considered for treatment with any other gene therapy for spinal muscle atrophy
  - f. Submission of a baseline, age appropriate exam to establish baseline motor function and ability. Examples of baseline motor ability assessments include:
    - i. Hammersmith Infant Neurological Exam (HINE)
    - ii. Hammersmith Functional Motor Scale Expanded (HFMSE)
    - iii. Upper Limb Module (ULM) Test (nonambulatory patients)
    - iv. Six-Minute Walk Test (6MWT) (ambulatory patients only)
    - v. Children's Hospital of Philadelphia Infant Test of Neuromuscular Disorders (CHOP INTEND)
  - g. The requesting physician attests to providing clinical outcome information within the Audaire Health™ provider portal as requested by BCBSM
  - h. Trial and failure, contraindication, or intolerance to the preferred drugs as listed in BCBSM/BCN's prior authorization and step therapy documents
- B. Quantity Limitations, Authorization Period and Renewal Criteria
  - a. Quantity Limit: Align with FDA recommended dosing
  - b. Authorization Period: 6 months at a time
  - c. Renewal Criteria: Continuation of coverage requires submission of repeat motor ability assessment and documentation of response to therapy defined as a clinically significant improvement in SMA-associated motor milestones and motor function (for example, progression, stabilization, or decreased functional motor decline) compared to predicted natural history and progression

\*\*\*Note: Coverage and approval duration may differ for Medicare Part B members based on any applicable criteria outlined in Local Coverage Determinations (LCD) or National Coverage Determinations (NCD) as determined by Center for Medicare and Medicaid Services (CMS). See the CMS website at http://www.cms.hhs.gov/. Determination of coverage of Part B drugs is based on medically accepted indications which have supported citations included or approved for inclusion determined by CMS approved compendia.

## **Background Information:**

- Spinal muscular atrophy (SMA) is a severe, inherited progressive neuromuscular disease that causes devastating muscle atrophy and disease-related complications in approximately 4 to 10 per 100,000 live births. SMA is caused by a mutation in the survival motor neuron 1 (SMN1) gene that results in a deficiency of SMN protein. People have a "backup" copy of this gene called SMN2 that produces low levels of SMN protein. SMA varies in severity with four different types that inversely correlates to the number of SMN2 copies a person has. The type of SMA a person has is based on function and age of onset. Type 1 is the most severe type of SMA and the most common. It affects 6 out of every 10 children with SMA. Those with Type 1 have the fewest number of SMN2 copies (usually 2 or fewer). Type 1 patients have an age of onset usually between 0-6 months, and as the natural history of those with Type 1 SMA progresses the children will never be able to sit unsupported. Life expectancy of untreated Type 1 patients is less than 2 years old. Type 2 patients usually present around 7-18 months of age and will have the ability to sit, but never stand. The majority of SMA Type 2 patients have 3 copies of SMN2. Type 3 SMA patients present after 18 months of age and usually are able to stand and walk. About 51% of the patients with SMA Type 3 have 3 copies of SMN2 while 46% have 4 copies of SMN2. Although there is an inverse correlation between severity of disease and number of SMN2 copies, diagnoses of type is not solely based on number of SMN2 copies.
- Spinraza is an antisense oligonucleotide that alters splicing of SMN2, increasing full-length, SMN (survival motor neuron) mRNA protein production. This is thought to improve motor function and achievement of motor milestones in patients and delays the progression in presymptomatic patients. Thus, early treatment is thought to result in the greatest potential benefit.
- Although approved to treat all SMA patients regardless of type and age:
  - Spinraza has only been studied in patients with SMA types 1-3 which make up approximately 95% of all SMA cases. SMA type 4 is usually later onset (often after age 30) and patients are able to achieve motor milestones and maintain mobility throughout life.
  - There is a lack of clinical data supporting the benefits of Spinraza on fully ventilator dependent patients.
  - Therefore, the safety and efficacy of Spinraza has not been confirmed outside of the above patient population.
- SMA patients' motor function and ability are monitored in a variety of ways, including but not limited to Bayley Scales of Infant and Toddler development (BSID), Motor Function Measure 32 (MFM-32), Hammersmith Infant Neurological Exam (HINE), Hammersmith Functional Motor Scale Expanded (HFMSE), Revised Upper Limb Module (RULM) Test (non-ambulatory patients), Six-Minute Walk Test (6MWT) (ambulatory patients only) and Children's Hospital of Philadelphia Infant Test of Neuromuscular Disorders (CHOP INTEND).
- There is currently no data supporting co-administration of Spinraza with other SMA therapies, in those who have received gene therapy for SMA, and in patients requiring invasive ventilation. The pivotal clinical studies did not include this patient population, therefore the safety and efficacy of Spinraza is unknown in this patient population at this time.

This policy and any information contained herein is the property of Blue Cross Blue Shield of Michigan and its subsidiaries, is strictly confidential, and its use is intended for the P&T committee, its members and BCBSM employees for the purpose of coverage determinations.

- The Audaire Health™ platform is a provider portal that is used to capture clinical outcome information for patients on select high-cost treatments, such as gene and cellular therapies. If a patient meets medical necessity as defined by this policy and is approved for treatment, the requesting physician must attest to providing clinical outcome information within the Audaire Health™ provider portal at the requested cadence.

## References:

- 1. SPINRAZA [Prescribing Information]. Cambridge, MA:Biogen; June 2020.
- 2. Wang CH, Finkel RS, Bertini ES, Schroth M, Simonds A, Wong B, Aloysius A, Morrison L, Main M, Crawford TO, Trela A; Participants of the International Conference on SMA Standard of Care.. Consensus statement for standard of care in spinal muscular atrophy. J Child Neurol. 2007 Aug;22(8):1027-49.
- 3. Finkel, Richard S et al. Treatment of infantile-onset spinal muscular atrophy with nusinersen: a phase 2, open-label, dose-escalation study. The Lancet, Volume 388, Issue 10063, 3017 3026.
- 4. Chiriboga CA, Swoboda KJ, Darras BT, Iannaccone ST, Montes J, De Vivo DC, Norris DA, Bennett CF, Bishop KM. Results from a phase 1 study of nusinersen (ISIS-SMN(Rx)) in children with spinal muscular atrophy. Neurology. 2016 Mar 8;86(10):890-7.
- 5. Daras BT, et al. Nusinersen in Treatment Naïve-Patients with Later-Onset SMA: Efficacy Results from a Phase 1b/2a Multicentre Study (CS2) and its Open-label Extension (CS12). October 4-8, 2016. Granada, Spain.
- 6. Bertini E, et al. Nusinersen in Pre-symptomatic Infant with SMA: Interim Efficacy and Safety Results from the Phase 2 NURTURE Study. October 4-8, 2016. Granada, Spain.
- 7. Finkel RS, Chiriboga CA, Vajsar J, Day JW, Montes J, De Vivo DC, Yamashita M, Rigo F, Hung G, Schneider E, Norris DA, Xia S, Bennett CF, Bishop KM. Treatment of infantile-onset spinal muscular atrophy with nusinersen: a phase 2, open-label, dose-escalation study. Lancet. 2016 Dec 17; 388(10063):3017-3026.
- 8. SMA Overview. SMA Foundation. <a href="http://www.smafoundation.org/wp-content/uploads/2012/03/SMA-Overview.pdf">http://www.smafoundation.org/wp-content/uploads/2012/03/SMA-Overview.pdf</a> Accessed September 4, 2020.

#	History	Change Description			
	Date	Change Description			
2.3	Effective Date: 04/11/2024	Annual Review of Medical Policy			
2.2		Annual musicus of critoria was a critoria and	-h		
2.2	Effective Date: 04/06/2023	Annual review of criteria was performed, no changes were made			
2.1	Effective Date:	Update to include Audaire Health™ requirements			
	04/14/2022				
2.0	Effective Date:	Removed upper age limit criteria. Added not to be used in combination with other SMA			
	06/10/2021	therapies			
1.9	Effective Date:	Annual review of criteria was performed, no changes were made			
	08/13/2020				
1.8	Effective Date:	Added must not be used in combination with Zolgensma			
	08/15/2019	· ·			
1.7	Effective Date:	UM medical management system update for BCNA			
	10/01/2018	, , ,			
		Line of Business	PA Required in Medical		
			Management System (Yes/No)		
		BCBS	Yes		
		BCN	Yes		
		MAPPO	Yes		
		BCNA	Yes		

This policy and any information contained herein is the property of Blue Cross Blue Shield of Michigan and its subsidiaries, is strictly confidential, and its use is intended for the P&T committee, its members and BCBSM employees for the purpose of coverage determinations.

1.6	Effective Date: 08/09/2018	Annual review of criteria was performed, no changes were made.			
1.5	Effective Date: 02/12/2018	UM medical management system update for MAPPO			
		Line of Business	PA Required in Medical Management System (Yes/No)		
		BCBS	Yes		
		BCN	Yes		
		MAPPO	Yes		
		BCNA	No		
1.4	Effective Date: 08/10/2017	Specified initial authorization			
1.3	Effective Date: 06/02/2017	UM medical management system update for BCN			
		Line of Business	PA Required in Medical		
			Management System (Yes/No)		
		BCBS	Yes		
		BCN	Yes		
		MAPPO	No		
		BCNA	No		
1.2	Effective Date: 03/23/2017	Preliminary Criteria updated			
1.1	Effective Date: 03/01/2017	UM medical management system update for BCBS			
		Line of Business	PA Required in Medical Management System (Yes/No)		
		BCBS	Yes		
		BCN	No		
		MAPPO	No		
		BCNA	No		
1.0	Effective Date: 02/09/2017	New Drug Criteria			

<sup>\*</sup> The prescribing information for a drug is subject to change. To ensure you are reading the most current information it is advised that you reference the most updated prescribing information by visiting the drug or manufacturer website or <a href="http://dailymed.nlm.nih.gov/dailymed/index.cfm">http://dailymed/index.cfm</a>.

## Blue Cross Blue Shield/Blue Care Network of Michigan Medication Authorization Request Form Spinraza™ (nusinersen) HCPCS CODE : J2326



Nonprofit corporations and independent licensees of the Blue Cross and Blue Shield Association

This form is to be used by participating physicians to obtain coverage for Spinraza. For <u>commercial members only</u>, please complete this form and submit via fax to 1-877-325-5979. If you have any questions regarding this process, please contact BCBSM Provider Relations and Servicing or the Medical Drug Helpdesk at 1-800-437-3803 for assistance.

	PATIENT INFORMATION	PHYSICIAN INFORMATION				
Name		lame				
		Specialty				
ID Num						
D.O.B.	☐Male ☐Female	Address				
Pt weig	ht (in kg) Date recorded:					
Diagnos	sis	ity /State/Zip				
Drug Na	ame	Phone/Fax: P: ( ) - F: ( ) -				
Dose ar	nd Quantity N	IPI				
Directio	ons	Contact Person				
Date of	Del vice(3)	Contact Person Phone / Ext.				
STEP 1:	DISEASE STATE INFORI					
1. I	ne prescriber a neurologist specializing in pediatric neuromuscular disorders? Yes No					
	If no, please list the consulting neurologist specializing in pediatric n	<del>_</del>				
2. I	Is this for initiation or continuation of therapy?   Initiation	Continuation Date patient started therapy:				
3. F	Please provide the NPI number for the place of administration:	se provide the NPI number for the place of administration:				
4. I	Is the patient fully ventilator dependent? Yes No					
	· · · · · — —	v often will the patient be receiving the maintenance dose (after the initial starting regimen):				
	☐ Every 2 months ☐ Every 4 months ☐ Every 6 mo					
6. H	Has the clinical outcome information been provided within the Aud					
	Yes No Comment					
7. <b>I</b>	Initiation AND Continuation of Therapy:					
		a. Please check the patient's diagnosis: Spinal muscular atrophy Other:				
	b. If spinal muscular atrophy chosen, what type does the patient have?					
	☐ Type 0 ☐ Type 1 ☐ Type 2 ☐ Type 3 ☐ Type 4					
		c. Has the patient been diagnosed with spinal muscular atrophy through genetic testing? (labs are required)				
		e motor function and ability been submitted? Examples of assessments				
		include: Hammersmith Infant Neurological Exam (HINE); Hammersmith Functional Motor Scale Expanded (HFMSE), etc. (chart				
	e. Has the patient received prior treatment with any gene therapy (such as Zolgensma) or are they being considered for future					
		treatment with gene therapy for spinal muscle atrophy?  Yes  No				
	Yes No					
8. <b>(</b>	Continuation request: Spinraza start date					
	a. Has the patient repeated a motor ability assessment documenting clinically significant improvement in SMA-associated motor					
	milestones and motor function compared to predicted natural history and progression? (chart notes are required)					
	Yes No Comment					
Please ad	d any other supporting medical information necessary for our rev	iew				
Coverage will not be provided if the prescribing physician's signature and date are not reflected on this document.						
Request for expedited review: I certify that applying the standard review time frame may seriously jeopardize the life or health of the member or the member's ability to regain maximum function						
Physician's		Date				
Step 2:	Form Completely Filled Out	☐ Weight (specify lb or kg) , BSA				
Checklist Step 3:	☐ Attached Chart Notes  By Fax: BCBSM Specialty Pharmacy Mailbox	By Mail: BCBSM Specialty Pharmacy Program				
Submit	1-877-325-5979	P.O. Box 312320, Detroit, MI 48231-2320				