

IMPORTANT NOTE: Express Scripts only accepts NCPDP Version D.0 electronic transactions. This documentation is to be used for programming the fields and values Express Scripts will accept when processing these claims.

Claim transaction segments not depicted within this document may be accepted during the transmission of a claim. However, Express Scripts may <u>not</u> use the information submitted to adjudicate claims. All values submitted will be validated against the NCPDP External Code List version as indicated below.

This payer sheet includes processing information for both Legacy Express Scripts and Legacy Medco.

General Information:

Payer Name: Express Scripts	Date: December 2017
Processor: Express Scripts	Switch:
Effective: January 1, 2018	Version/Release Number: D.0
NCPDP Data Dictionary Version Date: October 2016	NCPDP External Code List Version Date: October 2016
	NCPDP Emergency External Code List Version Date: July
	2017
Contact/Information Source: Network Contracting & Manage	ment Account Manager, or (800) 824-0898, or
Express-Scripts.com	-
Pharmacy Help Desk Info: (800) 824-0898	
Other versions supported: N/A	

Note: All fields requiring alphanumeric data must be submitted in UPPER CASE.

BIN/PCN Table

Plan Name/Group Name	BIN	PCN
Legacy Express Scripts Medicare or MMP	ØØ3858	MD (or as assigned by Express
		Scripts)
Legacy Medco Medicare or MMP	61ØØ14	MEDDPRIME
Emblem Health Medicare/HIP Medicare Part D	4ØØØ23	ØØ2ØØ5Ø4Ø3
Emblem Health/1199 SEIU	Ø118ØØ	ØØ2ØØ5Ø4Ø3
Emblem Health/Connecticare (CCI) Medicare Part D	Ø13337	ØØ2ØØ8Ø229
Emblem Health/GHI Medicare Part D	Ø13344	ØØ2ØØ8Ø229
GuildNet Medicare Part D	Ø13344	ØØ2ØØ8Ø229
WellPoint Medicare	ØØ3858	MD
UCare MSHO (Dual Eligible members)	ØØ3858	DE
Emblem MMPs (e.g., Dual Assurance/GuildNet Gold Plus FIDA)	4ØØØ23	ØØ2ØØ3Ø72Ø



Medicare

Section I: Claim Billing (In Bound)

Transaction Header Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
1Ø1-A1	BIN Number	See BIN/PCN table, above	М
1Ø2-A2	Version Release Number	DØ=Version D.0	М
1Ø3-A3	Transaction Code	B1=Billing	М
1Ø4-A4	Processor Control Number	As indicated above	М
1Ø9-A9	Transaction Count	1=One Occurrence	М
2Ø2-B2	Service Provider ID Qualifier	Ø1=NPI	М
2Ø1-B1	Service Provider ID	Pharmacy NPI	М
4Ø1-D1	Date of Service		М
11Ø-AK	Software Vendor/Certification ID		0

Insurance Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø4=Insurance	М
3Ø2-C2	Cardholder ID	ID assigned to the cardholder	М
312-CC	Cardholder First Name		R
313-CD	Cardholder Last Name		R
524-FO	Plan ID		0
3Ø9-C9	Eligibility Clarification Code	1=No Override 2=Override 3=Full Time Student 4=Disabled Dependent 5=Dependent Parent 6=Significant Other	R
3Ø1-C1	Group ID	As appears on card	R
3Ø3-C3	Person Code	001-010 Code assigned to specific person in a family	R
3Ø6-C6	Patient Relationship Code	1=Cardholder – The individual that is enrolled in and receives benefits from a health plan 2=Spouse – Patient is the husband/wife/partner of the cardholder 3=Child – Patient is a child of the cardholder 4=Other – Relationship to cardholder is not precise	R
359-2A	Medigap ID		0



Patient Segment - Required

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø1=Patient	М
331-CX	Patient ID Qualifier		0
332-CY	Patient ID	As indicated on member ID card	0
3Ø4-C4	Date of Birth		R
3Ø5-C5	Patient Gender Code	1=Male 2=Female	R
31Ø-CA	Patient First Name	Example: John	R
311-CB	Patient Last Name	Example: Smith	R
322-CM	Patient Street Address		0
323-CN	Patient City		0
324-CO	Patient State or Province		0
325-CP	Patient Zip/Postal Code		R*
3Ø7-C7	Place of Service	Ø1 = Pharmacy	R
335-2C	Pregnancy Indicator	Blank=Not specified	0
		1=Not Pregnant	
		2=Pregnant	
384-4X	Patient Residence	Refer to the External Code List	R

*For Emergency/Natural Disaster claims, enter the current ZIP code of displaced patient in conjunction with Prior Authorization Type Code (461-EU) and Prior Auth ID Submitted (462-EV) field.

Claim Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø7=Claim	М
455-EM	Prescription/Service Reference	1=Rx Billing*	М
	Number Qualifier	*Pharmacist should enter "1" when processing	
		claim for a vaccine drug and vaccine	
		administration.	
4Ø2-D2	Prescription/Service Reference Number		М
436-E1	Product/Service ID Qualifier	ØØ = Not specified*	М
		Ø3=National Drug Code	
4Ø7-D7	Product/Service ID		М
442-E7	Quantity Dispensed		R
4Ø3-D3	Fill Number	Ø=Original Dispensing	R
		1 to 99 = Refill number	
4Ø5-D5	Days Supply		R
4Ø6-D6	Compound Code	1=Not a Compound	R
		2=Compound*	
4Ø8-D8	Dispense as Written		R
	(DAW)/Product Selection Code		
414-DE	Date Prescription Written		R
Field #	NCPDP Field Name	Value	Payer Usage



	1	INIEUICALE	
415-DF	Number of Refills Authorized	ØØ =No refills authorized Ø1 through 99, with 99 being as needed, refills unlimited	R
419-DJ	Prescription Origin Code	Ø=Not known 1=Written 2=Telephone 3=Electronic 4=Facsimile 5=Pharmacy	R
354-NX	Submission Clarification Code Count	Maximum count of 3	RW (Submission Clarification Code (42Ø –DK) is used
42Ø-DK	Submission Clarification Code		RW (Clarification is needed and value submitted is greater than zero (Ø). Value of 2 is used to respond to a Max Daily Dose/High Dose Reject)
3Ø8-C8	Other Coverage Code	Ø=Not Specified by patient 1=No other coverage 2=Other coverage exists - payment collected* 3=Other coverage billed - claim not covered* 4=Other coverage exists - payment not collected*	R (*Requires COB segment to be sent)
429-DT	Special Packaging Indicator		RW (Claim is short cycle filled for LTC)
6ØØ-28	Unit of Measure	EA=Each GM=Grams ML=Milliliters	R
418-DI	Level of Service		RW (This field could result in different coverage, pricing, or patient financial responsibility)
Field #	NCPDP Field Name	Value	Payer Usage



Medicare

-		Inculcul	
461-EU	Prior Authorization Type Code	Ø=Not specified 1=Prior Authorization 8=Payer Defined Exemption 9=Emergency Preparedness**	RW (When value 1, 8, or 9 is used in conjunction with Prior Authorization ID Submitted (462-EV)
462-EV	Prior Auth ID Submitted	Submitted when requested by processor. <u>Examples</u> : Prior authorization procedures for physician authorized dosage or day supply increases for reject 79 'Refill Too Soon'.	RW (461-EU = 1, 8 or 9) For Legacy Medco – If 461-EU = 1, then use 1111. If 461- EU = 8, then use 9999. If 461-EU = 9, then use the value returned from 498-PY
357-NV	Delay Reason Code		RW (Needed to specify the reason that submission of transaction has been delayed)†
995-E2	Route of Administration		RW (Required for Compounds)
147-U7	Pharmacy Service Type	Ø1= Community/Retail Pharmacy Services Ø3= Home Infusion Therapy Services Ø5= Long Term Care Pharmacy Services	R

*The Product/Service ID (4Ø7-D7) must contain a value of "Ø" and Product/Service ID Qualifier (436-E1) must contain a value of "ØØ" when used for multi-ingredient compounds.

**For value "9=Emergency Preparedness" Field 462-EV Prior Authorization ID Submitted supports the following values when an emergency healthcare disaster has officially been declared by appropriate U.S. government agency.

911ØØØØØØØ1 Emergency Preparedness (EP) Refill Too Soon Edit Override

†For Field 357-NV (Delay Reason Code), all valid values are accepted. Values of 1, 2, 7, 8, 9, 1Ø may be allowed to override Reject 81 (Claim Too Old).

Note for Emblem and Wellpoint: LTC Only Overrides Allowed For:



Refill too soon: 15 = LTC Replacement Medication

16 = LTC Emergency box (kit) or automated dispensing machine

17 = LTC Emergency Supply Remainder

18 = LTC Patient Admit/Readmit Indicator

Duplicate claims: 15 = LTC Replacement Medication

16 = LTC Emergency box (kit) or automated dispensing machine

17 = LTC Emergency Supply Remainder

No Quantity Level Limits (QLL) overrides allowed in these situations.

Field # **NCPDP Field Name** Value Payer Usage 111-AM Segment Identification 11=Pricing Μ 4Ø9-D9 Ingredient Cost Submitted R 412-DC **Dispensing Fee Submitted** RW (Dispensing Fee Submitted is required when Submission Clarification Code = 19 (Split Billing). Pharmacy should provide appropriate dispensing fee for the transaction 433-DX Patient Paid Amount Submitted R (Only required for Emblem: optional for other payers) 438-E3 Incentive Amount Submitted RW (Value has an effect on Gross Amount (43Ø-DU) calculation). Use when submitting claim for vaccine drug and administrative fee together) Payer Usage Field # **NCPDP Field Name** Value

Pricing Segment – Mandatory



Medicare

481-HA	Flat Sales Tax Amount Submitted		RW *
			(Value has an
			effect on
			Gross Amount
			(43Ø-DU)
			calculation)
482-GE	Percentage Sales Tax Amount		RW *
	Submitted		(Value has an
			effect on
			Gross Amount
			(43Ø-DU)
			calculation)
483-HE	Percentage Sales Tax Rate		RW *
	Submitted		(Percentage
			Sales Tax
			Amount
			Submitted
			(482-GE) and
			Percentage Sales
			Tax Basis
			Submitted
			(484-JE) are used
			or if needed to
			calculate
			Percentage Sales
			Tax Amount Paid
			(559-AX)
484-JE	Percentage Sales Tax Basis		RW
	Submitted		(Percentage
			Sales Tax
			submitted
			(482-GE) and
			Percentage Sales
			Tax Rate
			Submitted
			(483-HE) are
426-DQ	Lisual and Customany Chargo		used)
426-DQ 43Ø-DU	Usual and Customary Charge Gross Amount Due		R R
430-D0 423-DN	Basis of Cost Determination		R
	pissible to submit Sales Tay unless required	by State Jaw	IX.

*It is not permissible to submit Sales Tax unless required by State law.



Prescriber Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø3=Prescriber	М
466-EZ	Prescriber ID Qualifier	Ø1=NPI	R
411-DB	Prescriber ID	NPI*	R
427-DR	Prescriber Last Name		RW (Prescriber ID Qualifier (466-EZ) =Ø8)
367-2N	Prescriber State/Province Address		RW (Prescriber ID Qualifier (466-EZ) = Ø8, 12)

Express Scripts edits the qualifiers in field 466-EZ. A valid type 1 Prescriber NPI is required for all claims. Claims unable to be validated may be subject to post-adjudication review and reversal.

* For vaccines or other products not requiring a prescription, an individual NPI is required. It may be the prescriber who wrote the prescription or alternate care provider (pharmacist, nurse practitioner, etc.) who administered the vaccine or dispensed the medication.

Note: If a claim is submitted for a controlled substance and a DEA # cannot be found or the prescriber's schedule does not match the drug DEA, the claim may be subject to reversal.

Coordination of Benefits/Other Payments Segment – Situational

(Required only for secondary, tertiary, etc. claims. Will support only one transaction per transmission)

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø5=COB/Other Payments	М
337-4C	Coordination of Benefits/Other Payments Count	Maximum count of 9	М
338-5C	Other Payer Coverage Type		М
339-6C	Other Payer ID Qualifier	Ø3=BIN	RW (Other Payer ID (34Ø-7C) is used)
34Ø-7C	Other Payer ID		R
443-E8	Other Payer Date		R
341-HB	Other Payer Amount Paid Count	Maximum count of 9	RW (Other Payer Amount Paid Qualifier (342-HC) is used
342-HC	Other Payer Amount Paid Qualifier	Ø7=Drug Benefit 1Ø=Sales Tax	RW (If Other Payer Amount Paid (431-DV) is used
Field #	NCPDP Field Name	Value	Payer Usage



431-DV	Other Payer Amount Paid		RW
			(If other payer has
			approved
			payment for
			some/all of the
			billing) (Not used
			for non-
			governmental
			agency programs
			if Other Payer-
			Patient
			Responsibility
			Amount (352-NQ)
			is submitted) (Not
			used for patient
			financial
			responsibility only
			billing)
471-5E	Other Payer Reject Count	Maximum count of 5	RW
			(Other Payer
			Reject Code
			(472-6E) is used)
472-6E	Other Payer Reject Code		RW
			(Other Payer
			Reject Count
			(471-5E) is used)
353-NR	Other Payer – Patient		RW
	Responsibility Amount Count		(Other Payer-
			Patient
			Responsibility
			Amount Qualifier
			(351-NP) is used)
351-NP	Other Payer – Patient		RW
	Responsibility Amount Qualifier		(Other Payer-
			Patient
			Responsibility
			Amount (352-NQ)
			is used)
352-NQ	Other Payer – Patient		RW
	Responsibility Amount		(Necessary for
			Patient Financial
			Responsibility
			Only Billing)
F 1.1.1."		N.I.	
Field #	NCPDP Field Name	Value	Payer Usage



Medicare

392-MU	Benefit Stage Count	Maximum count of 4	RW (Secondary to Medicare)	
393-MV	Benefit Stage Qualifier	Occurs up to 4 times	RW (Secondary to Medicare)	
394-MW	Benefit Stage Amount		RW (Secondary to Medicare)	

The COB segment and all required fields must be sent if the Other Coverage Code (field 3Ø8-C8) with values = 2 through 4 are submitted in the claim segment.

Note: If field 3Ø8-C8 (Other Coverage Code) is populated with:

- Value of 2 = Other coverage exists payment collected; fields 341-HB, 342-HC and 431-DV are required and must have values entered. Field 431-DV must **not** be zero (\$0.00). The sum of all occurrences must not be zero.
- Value of 3 = Other coverage billed claim not covered; fields 471-5E and 472-6E are required and must have values entered.
- Value of 4 = Other coverage exists payment not collected; fields 341-HB, 342-HC and 431-DV are required and must have values entered. Field 431-DV must be zero (\$0.00). The sum of all occurrences must be zero.

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø8=DUR/PPS	М
473-7E	DUR/PPS Code Counter	1=Rx Billing (maximum of 9 occurrences)	R
439-E4	Reason for Service Code	AT=Additive Toxicity DD=Drug-Drug Interaction	R
44Ø-E5	Professional Service Code	ØØ=No intervention MØ=Prescriber Consulted MA=Medication Administered – indicates the <u>administration</u> of a covered vaccine*	R
441-E6	Result of Service Code	1G=Filled, With Prescriber Approval	R
474-8E	DUR/PPS Level of Effort	11=Level 1 (Lowest) 12=Level 2 13=Level 3 14=Level 4 15=Level 5 (Highest)	R**

DUR/PPS Segment – Situational

*Indicates the claim billing includes a charge for administration of the vaccine; leave blank if dispensing vaccine without administration.

**When submitting a compound claim, Field 474-8E is required using the values consistent with your contract.

Compound Segment – Situational

(Required when submitting a compound claim. Will support only one transaction per transmission)



Medicare

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	1Ø=Compound	М
45Ø-EF	Compound Dosage Form Description Code		М
451-EG	Compound Dispensing Unit Form Indicator	1=Each 2=Grams 3=Milliliters	М
447-EC	Compound Ingredient Component Count	Maximum 25 ingredients	М
488-RE	Compound Product ID Qualifier	Ø3=NDC	М
489-TE	Compound Product ID	At least 2 ingredients and 2 NDC #s. Number should equal field 447-EC.	М
448-ED	Compound Ingredient Quantity		М
449-EE	Compound Ingredient Drug Cost		R
49Ø-UE	Compound Ingredient Basis of Cost Determination		R

Clinical Segment – Situational

(This segment may be required as determined by benefit design. When the segment is submitted, the fields defined below are required.)

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	13=Clinical	М
491-VE	Diagnosis Code Count	Maximum count of 5	R
492-WE	Diagnosis Code Qualifier	Ø2=ICD-10	R
424-DO	Diagnosis Code		R

Section II: Response Claim Billing (Out Bound)

Response Header Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
1Ø2-A2	Version Release Number	DØ =Version D.Ø	Μ
1Ø3-A3	Transaction Code	B1=Billing	М
1Ø9-A9	Transaction Count	Same value as in request	М
5Ø1-FI	Header Response Status	A=Accepted	М
		R=Rejected	
2Ø2-B2	Service Provider ID Qualifier	Same value as in request	М
2Ø1-B1	Service Provider ID	Same value as in request	М
4Ø1-D1	Date of Service	Same value as in request	М

Response Message Segment – Situational

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	2Ø=Response Message	М



Medicare

5Ø4-F4 Message

0

Response Insurance Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	25=Response Insurance	М
3Ø1-C1	Group ID		R
524-FO	Plan ID		0
545-2F	Network Reimbursement ID	Network ID	R
568-J7	Payer ID Qualifier		0
569-J8	Payer ID		0
3Ø2-C2	Cardholder ID		R

Response Status Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	21=Response Status	М
112-AN	Transaction Response Status	P=Paid D=Duplicate of Paid R=Reject	М
5Ø3-F3	Authorization Number		RW (Transaction Response Status = P)
547-5F	Approved Message Code Count	Maximum count of 5	RW (If Approved Message Code (548-6F) is used)
548-6F	Approved Message Code		RW (If Approved Message Code Count (547-5F) is used)
51Ø-FA	Reject Count	Maximum count of 5	RW (Transaction Response Status = R)
511-FB	Reject Code		RW (Transaction Response Status = R)
Field #	NCPDP Field Name	Value	Payer Usage



Medicare

-	1		
546-4F	Reject Field Occurrence Indicator		RW (Transaction Response = R. If repeating field is in error to identify repeating field occurrence)
13Ø-UF	Additional Message Information Count	Maximum count of 9	RW (Additional Message (526-FQ) is used)
132-UH	Additional Message Information Qualifier		RW (Additional Message (526-FQ) is used)
526-FQ	Additional Message Information		RW (Additional text is needed for clarification or detail)
131-UG	Additional Message Information Continuity		RW (Current repetition of Additional Message Information (526-FQ) is used and another repetition (526-FQ) follows, and text is continuation of the current)
549-7F	Help Desk Phone Number Qualifier		0
55Ø-8F	Help Desk Phone Number		0
987-MA	URL		R* (*only returned on a rejected response)

Response Claim Segment – Mandatory



Medicare

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	22=Response Claim	М
455-EM	Prescription/Service Reference Number Qualifier	1=Rx Billing	М
4Ø2-D2	Prescription/Service Reference Number		М
551-9F	Preferred Product Count	Maximum count of 6	RW (Based on benefit and when preferred alternatives are available for the submitted product service ID)
552-AP	Preferred Product ID Qualifier		RW (If Preferred Product ID (553-AR) is used)
553-AR	Preferred Product ID		RW (If a product preference exists that needs to be communicated to the receiver via an ID)
556-AU	Preferred Product Description		RW (If a product preference exists that either cannot be communicated by the Preferred Product ID (553-AR) or to clarify the Preferred Product ID (553-AR)

Response Pricing Segment – Mandatory

(This segment will not be included with a rejected response)

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	23=Response Pricing	М
5Ø5-F5	Patient Pay Amount		R
5Ø6-F6	Ingredient Cost Paid		R
5Ø7-F7	Dispensing Fee Paid		R



Field #	NCPDP Field Name	Value	Payer Usage
557-AV	Tax Exempt Indicator		RW (If sender and/or patient is tax exempt and exemption applies to this billing)
558-AW	Flat Sales Tax Amount Paid		RW (If Flat Sales Tax Amount Submitted (481-HA) is greater than zero (Ø) or if Flat Sales Tax Amount Paid (558- AW) is used to arrive at the final reimbursement)
559-AX	Percentage Sales Tax Amount Paid		RW (If Percentage Tax Amount Submitted (482-GE) is greater than zero (Ø) or Percentage Sales Tax Rate Paid (56Ø-AY) and Percentage Sales Tax Basis Paid (561-AZ) are used)
56Ø-AY	Percentage Sales Tax Rate Paid		RW (If Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø)
561-AZ	Percentage Sales Tax Basis Paid		RW (If Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø)



Field #	NCPDP Field Name	Value	Payer Usage
521-FL	Incentive Amount Paid		RW (If Incentive Amount Submitted (438-E3) is greater than zero (Ø)
563-J2	Other Amount Paid Count		0
564-J3	Other Amount Paid Qualifier	Occurs up to 3 times	0
565-J4	Other Paid Amount	Occurs up to 3 times	0
566-J5	Other Payer Amount Recognized		0
5Ø9-F9	Total Amount Paid		R
522-FM	Basis of Reimbursement Determination		R
523-FN	Amount Attributed to Sales Tax		RW (If Patient Pay Amount (5Ø5-F5) includes sales tax that is the financial responsibility of the member but is not also included in any of the other fields that add up to Patient Pay Amount)
512-FC	Accumulated Deductible Amount		0
513-FD	Remaining Deductible Amount		0
514-FE	Remaining Benefit Amount		0
517-FH	Amount Applied to Periodic Deductible		RW (Patient Pay Amount (5Ø5-F5) includes deductible)
518-FI	Amount of Co-pay		RW (Patient Pay Amount (5Ø5-F5) includes co-pay as patient financial responsibility)



Field #	NCPDP Field Name	Value	Payer Usage
52Ø-FK	Amount Exceeding Periodic Benefit Maximum		RW (Patient Pay Amount (5Ø5-F5) includes amount exceeding periodic benefit maximum)
571-NZ	Amount Attributed to Processor Fee		RW (If customer is responsible for 100% of the prescription payment and when the provider net sale is less than the amount the customer is expected to pay)
575-EQ	Patient Sales Tax Amount		RW (Used when necessary to identify Patient's portion of the Sales Tax)
574-2Y	Plan Sales Tax Amount		RW (Used when necessary to identify Plan's portion of Sales Tax)
572-4U	Amount of Coinsurance		RW (Patient Pay Amount (5Ø5-F5) includes coinsurance as patient financial responsibility)
392-MU	Benefit Stage Count		RW (Required if Benefit Stage Amount (394- MW) is used.)



Field #	NCPDP Field Name	Value	Payer Usage
393-MV	Benefit Stage Qualifier		RW (Required if Benefit Stage Amount (394-MW) is used)
394-MW	Benefit Stage Amount		RW (Required when a Medicare Part D payer applies financial amounts to Medicare Part D beneficiary benefit stages. This field is required when the plan is a participant in a Medicare Part D program that requires reporting of benefit stage specific financial amounts
577-G3	Estimated Generic Savings		RW (Patient selects brand drug when generic was available)
128-UC	Spending Account Amount Remaining		RW (If known when transaction had spending account dollars reported as part of patient pay amount)
129-UD	Health Plan-Funded Assistance Amount		RW (Patient meets the plan-funded assistance criteria to reduce Patient Pay Amount (5Ø5-F5)



Field #	NCPDP Field Name	Value	Payer Usage
134-UK	Amount Attributed to Product Selection/Brand Drug		RW (Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a patient's selection of a Brand drug.
133-UJ	Amount Attributed to Provider Network Selection		RW (Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a cost share differential due to the selection of one pharmacy over another)
135-UM	Amount Attributed to Product Selection/Non-Preferred Formulary Selection		RW (Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a patient's selection of a non-preferred formulary product)
136-UN	Amount Attributed to Product Selection/Brand Non-Preferred Formulary Selection		RW (Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a patient's selection of a Brand non- preferred formulary product)
137-UP	Amount Attributed to Coverage Gap		RW (Patient's financial responsibility is due to the coverage gap)



Response DUR/PPS Segment – Situational

Field #	NCPDP Field Name	Value	Payer Usage
		24=Response DUR/PPS	M
567-J6	DUR/PPS Response Code Counter	Maximum 9 occurrences supported	RW
			(Reason for Service
			Code (439-E4) is
			used)
439-E4	Reason for Service Code	AT=Additive Toxicity	0
		DD=Drug-Drug Interaction	
		ER=Overuse	
528-FS	Clinical Significance Code		0
529-FT	Other Pharmacy Indicator		0
53Ø-FU	Previous Date of Fill		0
531-FV	Quantity of Previous Fill		0
532-FW	Database Indicator		0
	Other Prescriber Indicator		0
	DUR Free Text Message		0
57Ø-NS	DUR Additional Text		0

Response Prior Authorization Segment – Situational

(Provided when the receiver has an opportunity to reprocess claim using a Prior Authorization ID)

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	26=Response Prior Authorization	М
	Prior Authorization ID - Assigned		RW (Receiver must submit this Prior Authorization ID in order to receive payment for the claim)

Response Coordination of Benefits/Other Payers Segment - Situational

(This segment will not be included with a rejected response)

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	28=Response Coordination of Benefits/Other Payers	М
355-NT	Other Payer ID Count	Maximum count of 9	М
338-5C	Other Payer Coverage Type		М
339-6C	Other Payer ID Qualifier		RW
			(Other Payer ID
			(34Ø-7C) is used)
Field #	NCPDP Field Name	Value	Payer Usage
34Ø-7C	Other Payer ID		RW*



Medicare

991-MH	Other Payer Processor Control	RW*
	Number	
356-NU	Other Payer Cardholder ID	RW*
992-MJ	Other Payer Group ID	RW*
142-UV	Other Payer Person Code	RW (Needed to
		uniquely identify the family members within the Cardholder ID, as assigned by other payer)
127-UB	Other Payer Help Desk Phone Number	RW (Needed to provide a support telephone number of other payer to the receiver)

*Will be returned when other insurance information is available for COB.

Section III: Reversal Transaction (In Bound)

Transaction Header Segment - Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
1Ø1-A1	BIN Number	BIN used on original claim submission	М
1Ø2-A2	Version Release Number	DØ=Version D.Ø	М
1Ø3-A3	Transaction Code	B2=Reversal	М
1Ø4-A4	Processor Control Number	PCN used on original claim submission	М
1Ø9-A9	Transaction Count	1=One occurrence per B2 transmission	М
2Ø2-B2	Service Provider ID Qualifier	Ø1=NPI	М
2Ø1-B1	Service Provider ID	NPI	М
4Ø1-D1	Date of Service		М
11Ø-AK	Software Vendor/Certification ID		0

Note: Reversal window is 9Ø days.

Insurance Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø4=Insurance	М
3Ø2-C2	Cardholder ID	ID assigned to the cardholder	М

Claim Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø7=Claim	М



Medicare

455-EM	Prescription /Service Reference	1=Rx Billing	М
	Number Qualifier		
4Ø2-D2	Prescription/Service Reference		М
	Number		
436-E1	Product/Service ID Qualifier	Value used on original claim submission	R
4Ø7-D7	Product/Service ID		R
4Ø3-D3	Fill Number		R
3Ø8-C8	Other Coverage Code	Value used on original claim submission	R

Coordination of Benefits/Other Payments Segment - Situational

(Will support only one transaction per transmission)

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø5=COB/Other Payments	М
337-4C	Coordination of Benefits/Other Payments Count	Maximum count of 9	М
338-5C	Other Payer Coverage Type		М

Section IV: Reversal Response Transaction (Out Bound)

Response Header Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
1Ø2-A2	Version Release Number	DØ=Version D.Ø	М
1Ø3-A3	Transaction Code	B2=Reversal	М
1Ø9-A9	Transaction Count	1=One Occurrence, per B2 transmission	М
5Ø1-FI	Header Response Status	A=Accepted	М
		R=Rejected	
2Ø2-B2	Service Provider ID Qualifier	Ø1=NPI	М
2Ø1-B1	Service Provider ID	NPI	М
4Ø1-D1	Date of Service		М

Response Message Segment – Situational

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	2Ø=Response Message	М
5Ø4-F4	Message		0

Response Status Segment – Situational



Medicare

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	21=Response Status	М
112-AN	Transaction Response Status	A=Approved R=Rejected	М
547-5F	Approved Message Code Count	Maximum count of 5	RW (Approved Message Code (548-6F) is used)
548-6F	Approved Message Code		RW (Approved Message Code Count (547- 5F) is used)
51Ø-FA	Reject Count	Maximum count of 5	RW (Transaction Response Status=R)
511-FB	Reject Code		RW (Transaction Response Status=R)
549-7F	Help Desk Phone Number Qualifier		0
55Ø-8F	Help Desk Phone Number		0

Response Claim Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	22=Response Claim	Μ
	Prescription/Service Reference Number Qualifier	1=Rx Billing	М
4Ø2-D2	Prescription/Service Reference Number		М